

Cibecue Special Area (SArea)

STATISTICAL PROFILE - 2006

See [Data Documentation](#) for definitions and sources of data used in these profile

| | | |
|--|--|----------------------------|
| DESCRIPTION OF AREA | SArea Number | 13400 |
| | Major Population Center | Cibecue |
| | County | NAVAJO |
| | Health Planning Region | 3 |
| | Primary Care Score | 70 |
| | Special Tax District? | No |
| | State House Legislative District | 5 |
| | In AzMUA? | Yes |
| | In Primary Care HPSA? | No |
| | In Federal MUA/P? | 38.1, MUA, (Navajo County) |
| | | |
| Next Nearest Provider | | Whiteriver |
| 2nd Nearest Provider | | Forest Lakes |
| Travel Time to Next Nearest Provider | | 31 to 40 minutes |
| Travel Time to 2nd Nearest Provider | | 61 to 80 minutes |



| DEMOGRAPHICS | Cibecue | COUNTY | HEALTH PLANNING REGION | ARIZONA |
|--|----------|----------|------------------------------|------------|
| POPULATION | 1,487 | 109,985 | 519,395 | 6,044,985 |
| Population Density | 249.3 | 11.1 | 10.8 | 53.2 |
| Persons By Age | | | | |
| 0-14 | 556 | 32,152 | 122,331 | 1,361,947 |
| 15-19 | 168 | 10,191 | 42,050 | 430,594 |
| 20-44 | 490 | 34,056 | 165,726 | 2,202,052 |
| 45-64 | 203 | 22,512 | 118,757 | 1,261,664 |
| 65-84 | 67 | 10,156 | 63,926 | 709,153 |
| 85 + | 2 | 917 | 6,605 | 79,575 |
| Race/Ethnicity | | | | |
| White | 2.6% | 46.6% | 64.9% | 75.8% |
| American Indian | 96.0% | 47.2% | 28.5% | 4.8% |
| Black | 0.1% | 0.8% | 0.6% | 3.1% |
| Asian/Pacific Islander | 0.2% | 0.4% | 0.6% | 1.9% |
| Other | 1.1% | 5.0% | 5.4% | 14.4% |
| Hispanic | 2.0% | 8.1% | 9.1% | 25.3% |
| Gender | | | | |
| Females | 50.9% | 50.3% | 50.5% | 50.1% |
| Males | 49.1% | 49.7% | 49.5% | 49.9% |
| Single Parent Families | 49.6% | 27.8% | 24.0% | 23.4% |
| Female Headed Households | 34.1% | 16.3% | 12.3% | 11.1% |
| INCOME | | | | |
| Population below 100% FPL | 68.2% | 29.5% | 21.4% | 13.9% |
| Population below 200% FPL | 87.2% | 55.3% | 44.8% | 33.5% |
| Median Household Income | \$11,875 | \$29,601 | \$34,028 | \$44,261 |
| Children <12 in Poverty | 67.8% | 38.6% | 30.4% | 19.9% |
| EDUCATION | | | | |
| Less Than 9th Grade Education | 23.3% | 12.0% | 8.5% | 7.8% |
| 9th-12th Grade, No Diploma | 48.3% | 16.8% | 12.4% | 11.2% |
| High School Graduate | 19.4% | 27.7% | 26.1% | 24.3% |
| Some College | 3.0% | 25.2% | 26.5% | 26.4% |
| College or Professional Degree Holder | 5.9% | 18.2% | 26.5% | 30.3% |
| NON-RESIDENT | | | | |
| Migrant, Agricultural Workers | ## | 0 | ## | 58,600 |
| Tourists | 3,010 | 184,394 | 3,654,643 | 18,430,000 |
| Winter Residents | ## | ## | 120 | 75,670 |
| MISCELLANEOUS | | | | |
| Unemployed | 26.1% | 8.5% | 5.9% | 4.7% |
| "Uninsured" Births | 0.3% | 4.2% | 6.6% | 4.9% |
| AHCCCS Enrollees | 34.8% | 34.4% | 24.7% | 18.4% |
| KidsCare Enrollees | 3.1% | 3.9% | 3.9% | 3.8% |
| Medicare Beneficiaries | 10.0% | 9.9% | 12.7% | 11.1% |
| Transportation Score | 334 | 164 | 142 | 121 |

| RESOURCE | Cibecue | COUNTY | HEALTH PLANNING REGION | ARIZONA |
|---|--------------------------|---------------|------------------------------|-----------|
| FACILITIES | | | | |
| General Hospitals | No | 2 | 8 | 60 |
| Hospital Beds/1000 Residents | 0.0 | 0.8 | 1.3 | 2.0 |
| Designated as Sole Community Provider ... | No | 2 | 8 | 33 |
| Specialty Beds | 0 | 0 | 38 | 1,894 |
| Skilled Nursing Facilities | 0 | 2 | 15 | 149 |
| Nursing Beds | 0 | 220 | 1,326 | 18,364 |
| SERVICES | | | | |
| Licensed Home Health Agencies | 0 | 2 | 14 | 100 |
| Ambulatory Care Sites Type | D | A, B, C, D, E | A, B, C, D, E | A,B,C,D,E |
| Licensed Pharmacies | 0 | 13 | 75 | 1,157 |
| Certified Ambulance Services | 0 | 7 | 28 | 93 |
| PERSONNEL | | | | |
| Primary Care Providers | 0.0 | 125 | 703 | 9,155 |
| Ratio-Population:Provider | 0:1 | 881:1 | 738:1 | 660:1 |
| Nurse Practitioners | 0 | 35 | 234 | 2,424 |
| Physician Assistants | 0 | 16 | 99 | 1,183 |
| Registered Nurses | 0 | 611 | 3,960 | 46,462 |
| Midwives | 0 | 6 | 33 | 205 |
| Dentists | 0 | 40 | 238 | 3,127 |
| Emergency Medical | 11 | 280 | 1,767 | 13,819 |
| UTILIZATION | | | | |
| AMBULATORY CARE SENSITIVE CONDITIONS | | | | |
| ACs/1000 Residents Age <65 | 21.6 | 50.1 | 58.2 | 68.3 |
| Points Above/Below (-) Statewide Average | -46.7 | -18.2 | -10.1 | *** |
| HOSPITALIZATION | | | | |
| Inpatient Days/1000 Residents | 615 | 439 | 406 | 504 |
| Inpatient Days/1000 by Age Group: | | | | |
| 0-14 yrs | 479 | 246 | 238 | 329 |
| 15-19 yrs | 97 | 210 | 173 | 215 |
| 20-44 yrs | 814 | 317 | 258 | 326 |
| 45-64 yrs | 864 | 559 | 426 | 552 |
| 65-84 yrs | 579 | 1,260 | 1,049 | 1,265 |
| 85+ yrs | 7,311 | 2,147 | 2,024 | 2,495 |
| Leading Diagnosis | MIGRNE UNSP WO NTRC MGRN | | | |
| Leading Procedure | MANUAL ASSIST DELIV NEC | | | |
| (Non-maternity related) | | | | |

*** Not Applicable, ++ Insufficient Data, ## Not Available

| HEALTH STATUS | Cibecue | COUNTY | HEALTH PLANNING REGION | ARIZONA |
|---|--|--------|------------------------------|---------|
| INFANT MORTALITY RATE | ++ | 8.5 | 7.7 | 7.6 |
| MORTALITY, LEADING CAUSE OF DEATH | | | | |
| Infant | ++ | | | |
| Child (1-14) | ++ | | | |
| Adolescent (15-19) | ++ | | | |
| Young Adult (20-44) | Traffic accident of specified type but victim's mode | | | |
| Mid Age (45-64) | Alcoholic liver disease | | | |
| Elderly (65-84) | Chronic ischaemic heart disease | | | |
| Aged (85+) | ++ | | | |
| PERCENT PREMATURE MORTALITY | 75.0% | 65.6% | 56.4% | 52.5% |
| NATALITY | | | | |
| Fertility Rate/1000 Females 15-44 yrs | 114.2 | 85.9 | 70.1 | 74.2 |
| Birth Rate/1000 Residents | 25.1 | 17.5 | 14.4 | 16.2 |
| 0-4 Prenatal Care Visits/1000 Births | 157.9 | 116.1 | 86.7 | 68.3 |
| Prenatal Care Began: | | | | |
| None | 2.0% | 2.2% | 1.6% | 2.3% |
| Trimester One | 57.6% | 58.8% | 63.7% | 68.9% |
| Trimester Two | 24.3% | 26.2% | 23.2% | 19.3% |
| Trimester Three | 8.8% | 8.7% | 7.7% | 6.0% |
| Unknown | 7.3% | 4.1% | 3.8% | 3.5% |
| Low-weight Births/1000 Live Births | ++ | 81.3 | 75.4 | 70.6 |
| Teen Births/1000 Females 14-19 yrs | 84.0 | 53.3 | 43.9 | 51.3 |

Block groups (2000) in area:

179401.004

Other Places in area:

Cibecue

*** Not Applicable, ++ Insufficient Data, ## Not Available

| RESOURCE | Cibecue | COUNTY | HEALTH PLANNING REGION | ARIZONA |
|---|--------------------------|---------------|------------------------------|-----------|
| FACILITIES | | | | |
| General Hospitals | No | 2 | 8 | 60 |
| Hospital Beds/1000 Residents | 0.0 | 0.8 | 1.3 | 2.0 |
| Designated as Sole Community Provider ... | No | 2 | 8 | 33 |
| Specialty Beds | 0 | 0 | 38 | 1,894 |
| Skilled Nursing Facilities | 0 | 2 | 15 | 149 |
| Nursing Beds | 0 | 220 | 1,326 | 18,364 |
| SERVICES | | | | |
| Licensed Home Health Agencies | 0 | 2 | 14 | 100 |
| Ambulatory Care Sites Type | D | A, B, C, D, E | A, B, C, D, E | A,B,C,D,E |
| Licensed Pharmacies | 0 | 13 | 75 | 1,157 |
| Certified Ambulance Services | 0 | 7 | 28 | 93 |
| PERSONNEL | | | | |
| Primary Care Providers | 0.0 | 125 | 703 | 9,155 |
| Ratio-Population:Provider | 0:1 | 881:1 | 738:1 | 660:1 |
| Nurse Practitioners | 0 | 35 | 234 | 2,424 |
| Physician Assistants | 0 | 16 | 99 | 1,183 |
| Registered Nurses | 0 | 611 | 3,960 | 46,462 |
| Midwives | 0 | 6 | 33 | 205 |
| Dentists | 0 | 40 | 238 | 3,127 |
| Emergency Medical | 11 | 280 | 1,767 | 13,819 |
| UTILIZATION | | | | |
| AMBULATORY CARE SENSITIVE CONDITIONS | | | | |
| ACSS/1000 Residents Age <65 | 21.6 | 50.1 | 58.2 | 68.3 |
| Points Above/Below (-) Statewide Average | -46.7 | -18.2 | -10.1 | *** |
| HOSPITALIZATION | | | | |
| Inpatient Days/1000 Residents | 615 | 439 | 406 | 504 |
| Inpatient Days/1000 by Age Group: | | | | |
| 0-14 yrs | 479 | 246 | 238 | 329 |
| 15-19 yrs | 97 | 210 | 173 | 215 |
| 20-44 yrs | 814 | 317 | 258 | 326 |
| 45-64 yrs | 864 | 559 | 426 | 552 |
| 65-84 yrs | 579 | 1,260 | 1,049 | 1,265 |
| 85+ yrs | 7,311 | 2,147 | 2,024 | 2,495 |
| Leading Diagnosis | MIGRNE UNSP WO NTRC MGRN | | | |
| Leading Procedure | MANUAL ASSIST DELIV NEC | | | |
| (Non-maternity related) | | | | |

*** Not Applicable, ++ Insufficient Data, ## Not Available

| HEALTH STATUS | Cibecue | COUNTY | HEALTH PLANNING REGION | ARIZONA |
|---|--|--------|------------------------------|---------|
| INFANT MORTALITY RATE | ++ | 8.5 | 7.7 | 7.6 |
| MORTALITY, LEADING CAUSE OF DEATH | | | | |
| Infant | ++ | | | |
| Child (1-14) | ++ | | | |
| Adolescent (15-19) | ++ | | | |
| Young Adult (20-44) | Traffic accident of specified type but victim's mode | | | |
| Mid Age (45-64) | Alcoholic liver disease | | | |
| Elderly (65-84) | Chronic ischaemic heart disease | | | |
| Aged (85+) | ++ | | | |
| PERCENT PREMATURE MORTALITY | 75.0% | 65.6% | 56.4% | 52.5% |
| NATALITY | | | | |
| Fertility Rate/1000 Females 15-44 yrs | 114.2 | 85.9 | 70.1 | 74.2 |
| Birth Rate/1000 Residents | 25.1 | 17.5 | 14.4 | 16.2 |
| 0-4 Prenatal Care Visits/1000 Births | 157.9 | 116.1 | 86.7 | 68.3 |
| Prenatal Care Began: | | | | |
| None | 2.0% | 2.2% | 1.6% | 2.3% |
| Trimester One | 57.6% | 58.8% | 63.7% | 68.9% |
| Trimester Two | 24.3% | 26.2% | 23.2% | 19.3% |
| Trimester Three | 8.8% | 8.7% | 7.7% | 6.0% |
| Unknown | 7.3% | 4.1% | 3.8% | 3.5% |
| Low-weight Births/1000 Live Births | ++ | 81.3 | 75.4 | 70.6 |
| Teen Births/1000 Females 14-19 yrs | 84.0 | 53.3 | 43.9 | 51.3 |

Block groups (2000) in area:

179401.004

Other Places in area:

Cibecue

*** Not Applicable, ++ Insufficient Data, ## Not Available